JMS—REV. MACROMOL. CHEM. PHYS., C25(4), 659–685 (1985)

INDEX TO VOLUME C25*

A

Abrasion properties of poly-(vinyl fluoride), 259
Absorbable surgical sutures, 315–324
Acetic acid in sutures, 317
Acetic anhydride in lab synthesis of PEG aldehydes, 344
Acetoxytriethyl citrate based sutures, 317
Acetylene diureine as flame retardant for polyester/cellulosic blends, 292–293, 305
N-Acetyl-D-glucosamine based sutures, 319
Acid and alkaline environment effects on polymeric implants, 558, 561–564, 575–576
Acid chlorides in lab synthesis of PEG esters, 335–336
Acid phosphatase, PEG-bound, 359
Acids in nylon graft copolymerization, 103–104
Acid solutions, peroxydiphosphate reactions in, 160
Acids of PEG, lab synthesis of, 341–343
Acrylamides
  graft copolymerization of, on nylons, 103–104, 106–107, 110–111
  metal-containing, 400–402, 410, 436, 452–453
  peroxydiphosphate-initiated reactions of, 172–175
Acrylic acids
  graft copolymerization of, on nylons, 102–106, 110–111
  metal-containing, 436, 439, 450
  peroxydiphosphate-initiated reactions of, 172–174
  in sutures, 320
Acrylonitriles
  graft copolymerization of, on nylons, 101–104, 106, 108–110
  metal-containing, 394–395, 397–399, 422, 426, 436–437, 439, 441–446
  peroxydiphosphate-initiated reactions of, 162–164, 166, 171
Activation energy
  in gas-phase propylene polymerization, 89
  for organo transition metal catalysts, 40

*This index includes the names of all contributors to Volume C25, 1985.

Activation of ions, entropy of, 158
Active center formation
in ethylene polymerization, 35–38
in propylene polymerization, 83–87
Additive effects on degradation of poly(vinyl fluoride) and poly(vinylidene fluoride), 256–257
Adsorption method in extraction of humic substances from water, 621–624
Air and ozone in nylon graft copolymerization, 101, 104, 106
Alcohols in nylon graft copolymerization, 109
Aldehydes of PEG
as intermediate in lab syntheses, 340, 353
laboratory synthesis of, 343–344
Alkali effects on poly(vinylidene fluoride), 267
see also Acid and alkaline environment effects on polymeric implants
Alkoxides of PEG
as intermediate in lab synthesis, 343
laboratory synthesis of, 332, 345
4-Alkoxyl carbonyl based sutures, 318
Alkylene oxalate based sutures, 318
Alkyl radicals in poly(vinylidene fluoride) degradation, 266
Alkyl urethanes in PEG-supported peptide synthesis, 356
Allyl alcohols
graft copolymerization of, on nylons, 110
metal-containing, 453–454
Allylamines, metal-containing, 399–400, 453–454
Allylic chlorines in PVC degradation, 124–125, 133–135, 140
Allyl monomers with complex-bound metal, polymerization of, 426–427
Alumina-supported catalysts in ethylene polymerization, 30
Aluminum catalysts
in ethylene polymerization, 8–10, 13, 17, 38–39, 41–42, 44, 47
in propylene polymerization, 65, 67–72, 81–84, 86–89
Aluminum complexes with humic and fulvic acids, 645–649
Amides of PEG, lab synthesis of, 337–338
Amines of PEG
as intermediates in protein-PEG conjugate synthesis, 353
laboratory synthesis of, 339–341
Amoco processes
gas-phase process for ethylene polymerization, 14
for propylene polymerization, 66–67
Amorphous regions of polyglycolide implants, degradation in, 573–574
Amphetamine, PEG-bound, 361
Analysis
of crosslinked polymers, techniques for, 481–549
of humic substances, methods for, 624–625
Antibodies, PEG-bound, 350
Antigens, protein, PEG conjugates of, 350
Antimicrobial materials
polyvinyl alcohol fiber for implants, 588
sutures, 320–321

Antimony
Sb-halogen systems as flame retardants, 299–303
Sb_2O_3 in flame retardants, 304–305
Apparel fabric flammability, measurement of, 281–284
Applications of metal-containing polymers, 458–461
Aqueous phase application of flame retardants, 305
Aqueous reactions of peroxydiphosphate, 158–159, 171, 174–175
Argon glow discharge in nylon graft copolymerization, 110
Ascorbic acid in peroxydiphosphate reactions, 167–168, 176, 178
Asobisisobutyronitrile in nylon graft copolymerization, 101
Asparaginase conjugate with PEG, lab synthesis of, 352
Atmospheric gas effects in poly(vinyl fluoride) and poly(vinylidene fluoride) degradation, 230–256
Atropine, PEG-bound, 361
Autolysis. *See* Cell autolysis hypothesis

B

Bacteria in polymeric implant degradation, 568–571
Bajaj, P., 277–314
Barium
complexes with humic substances, 644
in metal-containing monomer synthesis and polymerization, 460
Bases in PVC degradation, 142
BASF processes
gas-phase process for ethylene polymerization, 13
[BASF processes]
for propylene polymerization, 65–66
Basic solutions, peroxydiphosphate reactions in, 159–160
Basic strength of chelating molecules as factor in stability, 632
Benzophenone in nylon graft copolymerization, 106, 109–110
p-Benzoyl oxystyrene graft copolymerization on nylons, 102
Benzyl derivatives in PEG-supported peptide synthesis, 356–357
Biological activity of metal-containing polymers, 460
Biological effects of flame retardants, 304
Biological stability of polymeric implants, 551–597
biological environment components in degradation, 553–556
Bis(2-methoxy methyl)phthalate based sutures, 317
Bis(oxyacetate) based sutures, 318
Bis(triphenylsilyl)chromate catalyst in ethylene polymerization, 36–37, 39
Blend ratio effect on fabric flame retardants, 305
Block copolymers of PEG, 365–366
Boggs, S., Jr., 599–657
Bond types in metal-containing monomers
coordinate, 394–410, 421–429, 436–439
π, 410–416, 429–432, 439–446
σ, 378–393, 416–421, 432–436
Borane in nylon graft copolymerization, 102
Branching in PVC, 128–133

Bromides of PEG, lab synthesis of, 345
Bromine compounds in flame retardants for polyester/cellulosic blends, 287, 297
Bromoacetaldehyde in lab synthesis of PEG aldehydes, 343
Bulk-phase polymerization of propylene, 60–64
1,4-Butane in sutures, 318
Butyl acrylate graft copolymerization on nylons, 102
Butylation in PVC, 132–133
t-Butyloxycarbonyl group in PEG-supported peptide synthesis, 355

C

Cadmium complexes with humic and fulvic acids, 645–649
Calcium
  complexes with humic and fulvic acids, 644–645, 648–649
  in metal-containing monomer synthesis and polymerization, 460
Calculation of metal-organic complex stability constants, 641–644
Caliban FR P-44 flame retardant in polyester/cellulosic blends, 293, 299, 301, 306
Cannabidiol, PEG-bound, 361
Caproamide. *See* Polycaproamide
Carbodiimides in PEG derivatives
  in PEG amide lab synthesis, 337–338
  PEG carbodiimides in solid supports, 359
  in PEG urethane lab synthesis, 349
Carbon content
  of humic substances, 607–610
[Carbon content]
  organic, of natural waters, 601–606
Carbon suboxide in nylon graft copolymerization, 105
Carbonyldiimidazole in lab synthesis of PEG derivatives
  protein-PEG conjugate, 351
  urethane, 347–348
Carbonyl groups in PVC degradation, 144
Carboxylates of PEG
  as intermediates in lab syntheses, 349, 356
  laboratory synthesis of, 341–343
Carboxyl groups in humic and fulvic acid complexation and chelation, 634
Carboxylic acids in lab synthesis of PEG esters, 336
Carboxymethyl cellulose based sutures, 319
Catalysts, PEG-bound, lab synthesis of, 358–359
Catalyst systems for ethylene polymerization, transition metal, 1–55
  catalytic activity, 39–41
Catalyst systems for propylene polymerization, transition metal, 57–97
  catalyst residues, 62
Catalytic applications of metal-containing polymers, 461
Catgut-based sutures, 316–317, 319–320
  degradation of, 557–560
Cell autolysis hypothesis on origin of humic substances, 616–617
Cellulose
  in sutures, 319, 321
  peroxydiphosphate-initiated reactions of, 181, 183–185
Cellulosic/polyester blends, flame-retardant finishes for, 277–314

Ceric ion initiation of nylon graft copolymerization, 102–103
Chain mechanisms in PVC degradation, 122–124, 127–128, 131, 140, 142, 144
Chain propagation in ethylene polymerization, 35–38, 45
Chain scission in poly(vinyl fluoride) and poly(vinylidene fluoride) degradation
  PVF, 258
  PVDF, 256, 264
Chakrapani, S., 277–314
Characteristics
  of PEG-derivative synthesis, 327–331
  of poly(vinyl fluoride) and poly(vinylidene fluoride), 228–229
Characterization
  of crosslinked polymers, techniques for, 481–549
  of dissolved humic substances in natural waters, 601–625
  of lab-synthesized PEG derivatives, 320–321
Chelates of metals with humic substances
  stabilities of, 627–634
  types of interactions with humic and fulvic acids, 634–638
Chemical composition of humic substances, 607–613
Chemical degradation of poly(vinyl fluoride) and poly(vinylidene fluoride), 267
Chemical initiation of graft copolymerization on nylons, 101–105
Chemical interaction in fabric blend flammability, 279
Chemical measurement of polymer crosslink density, 535–536
Chemical methods of analyzing humic substances, 624–625
Chemical polymerization hypothesis on origin of humic substances, 615–616
Chemische Werke Huels process for propylene polymerization, 69
Chemistry of poly(vinyl fluoride) and poly(vinylidene fluoride), 228–229
Chitin-based sutures, 319
Chitosan with PEG graft, 365
Chlorides of PEG
  as intermediates in lab syntheses, 340, 344
  laboratory synthesis of, 345
Chlorocarbonate of PEG as intermediate in lab synthesis, 346–347
Chloromethyl groups in PVC, 130, 132, 137
Choi, K-Y., 1–55, 57–97
Chromatographic characterization of PEG derivatives, 330
Chromitized catgut sutures, 316–317
Chromium
  catalysts in ethylene polymerization, 6, 8, 11, 13, 21, 24–25, 30–31, 35, 38–40, 44
  complexes with humic and fulvic acids, 645–646, 648
  in metal-containing monomer synthesis and polymerization, 388–389, 393, 409, 412–413, 427, 430, 433, 439–440, 447, 449, 454, 459
Chromocene catalysts in ethylene polymerization, 36
Cinerubin A, PEG-bound, 361
Classification of metal-containing monomers, 377–378
Closed double helix in polynucleotides, 219–221
Coated sutures, 319–320

Cobalt
^{60}Co source in nylon graft copolymerization, 106
complexes with humic and fulvic acids, 644–646, 648–649
in metal-containing monomer synthesis and polymerization, 391–393, 395, 403, 409–411, 414, 419, 421, 423–424, 426–427, 430, 434–437, 446, 452–455, 461
Coiling of central axis in polynucleotides, 220–221
Collagen-based sutures, 316
Collagenous fibers, biological stability of, 557–560
Colloids of humic substances, 637
Commercial processes. *See* Industrial processes
Complexes of metals with humic substances, stabilities of, 627–634
types of interactions with humic and fulvic acids, 634–638
Compression measurement in studies of swollen polymers, 503
Concentration effects on stability of metal-humic substance complexes, 644–651
Concentration ranges in ethylene-α-olefin copolymerization, 48
Condensation. *See* Polycondensation
Condensed phase active flame retardants, 305
Conditional stability constants for metal-organic complexes, 641–644
Conformational partition function in polynucleotides, 208–211
Consumer Product Safety Commission proposals on apparel flammability, 283
Continuous stirred tank reactor processes for ethylene polymerization, 7–9
Cooperative transitions in hydrogen bonded macromolecules, 191–225
Coordinate bond in metal-containing monomers, 394–410, 421–429, 436–439
Copolymerization
of ethylene with α-olefins, 43–48
of metal-containing monomers, 432–449
peroxydiphosphate initiated, 157–189
see also Graft copolymerization
Copolymers
of vinyl fluoride, degradation of, 238, 241, 258
of vinylidene fluoride, degradation of, 248, 250–251
Copolyoxalate polymers in sutures, 318
Copper
complexes with humic and fulvic acids, 644–649
Cu(II) in peroxydiphosphate reactions, 162, 184
in metal-containing monomer synthesis and polymerization, 393–395, 403, 410, 419–421, 423, 426, 435, 437, 455–456, 458–459
Cotton/polyester blends, flame retardants for, 277–314
nonfinish flame retarding of cotton/PET blends, 304
Crosslinked polymers, techniques for analysis of, 481–549
Crosslinking
in poly(vinyl fluoride), 257 261
in poly(vinylidene fluoride) degradation, 263, 266

Crotonic acid based sutures, 320
Crown alkoxide in PEG ether synthesis, 334
Crown ether-PEG derivatives, lab synthesis of, 341
Crystallinity in poly(vinyl fluoride) and poly(vinylidene fluoride) degradation
  PVF, 256
  PVDF, 247–248, 263–264
Crystallinity in PVC degradation, 139, 141
Crystallite degradation in polyglycolide implants, 574
Curing studies of resins
  DMA, in epoxy resins, 520–528
  mechanical, in thermosets, 513–515
Cyanuric chloride in lab synthesis of PEG derivatives, 347
  protein-PEG conjugate, 350–351
Cyclohexanol in peroxydiphosphate reactions, 165
Cysteine
  PEG-supported synthesis of cysteine-containing peptides, 357
  in peroxydiphosphate reactions, 181

D

Dacron-based sutures, 320
Dansyl sulfonamides, fluorescent PEG, lab synthesis of, 338
Decabromodiphenyl oxide flame retardant, 304
Decapeptide, PEG-supported synthesis of, 355
Defects in PVC, structural, 122–141
Degradation
  of poly(vinyl fluoride) and poly(vinylidene fluoride), 227–275
  quantitative, of polymeric implants, 551–597
  see also Self-decomposition
Dehydrochlorination in PVC, 122–124, 130, 136–139
  mechanisms of, 141–146
Dehydrofluorination of poly(vinylidene fluoride), 247, 258, 264, 266
Denaturation, thermal, of hydrogen-bonded macromolecules, 191–225
Derivatives of polyethylene glycol, synthesis of, 325–373
Desolvation of peroxydiphosphate, 158
Detergents with PEG, 364–365
Devi, K. S., 315–324
Dexon-based sutures, 319
Dialysis. *See* Equilibrium dialysis
Diamine-diol based sutures, 317
2,4-Diamino-6(3,3,3-tribromo-1-propyl)-1,3,5-triazine-TM flame retardant system in polyester/cellulosic blends, 299, 304
Diammonium hydrogen phosphate as flame retardant, 296
Dibutyltin dilaurate in lab synthesis of PEG derivatives, 346
Dicyclohexylcarbodiimide in lab synthesis of PEG amides, 338
Dielectric study of crosslinked polymers, 536–538
Diethyl oxalate based sutures, 318
Differential scanning calorimetry in analysis of crosslinked polymers, 539

Difluoroethylene graft copolymerization on nylons, 110
Diluents
  diluent-polymer interaction effects in crosslink analysis, 495–496
  in ethylene polymerization, 6–7
Dimethyl polysoloxane in sutures, 319
Dimethylsulfoxide in lab synthesis of PEG aldehydes, 344
2,4-Dinitrophenyl ether of PEG, lab synthesis of, 334
Diol-based sutures, 317–318
1,4-Dioxane-2,5-dione based sutures, 318
Dioxanone-based sutures, 318
Dissolved humic substances in natural waters, distribution and characterization of, 601–625
Distribution of dissolved humic substances in natural waters, 601–625
Dithiocarbonate of PEG, lab synthesis of, 352–353
DMDHEU flame retardant in polyester/cellullosic blends, 291–293, 296, 299, 301, 304–306
DOC FF 3-71 standard on fabric flammability, 281–282
Dodecanamide. *See* Polydodecanamide
Double bonds
  formation of, in poly(vinylidene fluoride) degradation, 242–243, 246
  in PVC degradation, 122–125, 127, 145
Drug conjugates with PEG, lab synthesis of, 361–362
DuPont solution process for ethylene polymerization, 9–10
Dye conjugates with PEG, lab synthesis of, 360
Dynamic mechanical analysis of polymer networks, 504, 509–528
Dynamic modulus in study of epoxy structure, 520

E

Elastic modulus in studies of crosslinked polymers, 504
Electron beam effects in poly(vinyl fluoride) and poly(vinylidene fluoride) degradation
  PVF, 260
  PVDF, 261, 264
Electrophilic derivatives of PEG, lab synthesis of, 344–348
Electrophysical technique in analysis of crosslinked polymers, 537
Elemental composition of humic substances, 607–610
Elongation properties of poly(vinyl fluoride), 258–260
Emulsifiers, PEG grafts in, 364
Emulsion-polymerized vinyl fluoride, degradation of, 257
Endgroups in PVC, 126–127, 137–138
  initiator endgroup incorporation, 135–137
Enthalpy effect in hydrogen-bonded macromolecule transitions, 197
Entropy of activation of ions, 158
Entropy effects in hydrogen-bonded macromolecule transitions, 197–198, 204, 210, 219–220
  energetically vs entropically favored reactions, 206–207

Environmental variable effects on stability of metal-humic substance complexes, 644–651
Enzyme conjugates of PEG, 350–354
  as catalysts, 359
  PEG-bound dye conjugates, 360
Enzymes in polymeric implant degradation, 555–556
  polyglycolide implants, 577–578
  polypropylene implants, 589
Epichlorohydrin in lab synthesis of PEG epoxides, 347
Epoxides of PEG, lab synthesis of, 347
Epoxy structure, dynamic mechanical analysis of, 520–528
Equilibrium dialysis in study of metal-organic complexes, 640
Equilibrium measurements in swollen polymers
  analysis of equilibrium swelling, 494–497
  equilibrium compression measurement, 503
  measurement methods for equilibrium swelling and swelling rates, 497–500
Equilibrium parameter in hydrogen-bonded macromolecule transitions, 215, 217–218
Ester linkages in PEG derivative synthesis
  PEG-bound drugs, 361
  PEG-supported peptide synthesis, 355–356
Esters of PEG
  in dye conjugates, 360
  laboratory synthesis of, 335–337
Estradiol-PEG amide, lab synthesis of, 338
Ethers of PEG
  in dye conjugates, 360
[Ethers of PEG]
  laboratory synthesis of, 332–335
Ethyl acrylate graft copolymerization on nylons, 103
Ethylbenzoate in transition metal catalyzed propylene polymerization, 70, 85–88
Ethylenediamine in lab synthesis of PEG amines, 339
Ethylene glycol
  in lab synthesis of PEG urethanes, 349
  in nylon graft copolymerization, 103
  in sutures, 320
Ethylene oxide in lab synthesis of PEG esters, 336
Ethylene polymerization, transition metal catalyzed, 1–55
Ethylene terephthalate. *See* Polyethylene terephthalate
Ethyl ethers of PEG, lab synthesis of, 332
Experimental adsorbent resins in extraction of humic substances from water, 621–624
Experimental methods of measuring swelling in polymers, 497–500
Extraction of humic substances
  from soils, 619
  from water, 621–624

F

Fabric blends, polyester/cellulosic, flame-retardant finishes for, 277–314
  weave and weight effects on retardants, 306–308
Fatty acid salt in sutures, 320
Ferric chloride in nylon graft copolymerization, 104, 110
Ferrocene ethers of PEG, lab synthesis of, 334–335

Ferrocenylmethyl methacrylate, 446
Film-forming polymers in sutures, 320
Flame-retardant finishes for polyester/cellulosic blends, 277–314
  flammability of blends, 278–281
  flammability index, 282–283
  measurement of flammability, 281–284
Flexibility of poly(vinyl fluoride), 233, 267
Fluidized-bed polymerization
  of ethylene, 12–13
  of propylene, reactor for, 68
Fluorescent PEG derivatives, 338
Fluorine catalyst in ethylene polymerization, 30, 46
Forced vibration devices in mechanical analysis of crosslinked polymers, 511–512, 517
Formation of active centers
  in ethylene polymerization, 35–38
  in propylene polymerization, 83–87
Fouling in ethylene polymerization, 7–8
Fractionation of humic substances from soils, 619
Fracture tests in crosslink density studies, 508
Free-energy changes in polypeptides and polynucleotides, 196–198, 204, 207, 213, 217–218, 221
  conformation partition function and, 208–211
Free-radical mechanisms
  in nylon graft copolymerization, 101–105
  in PVC dehydrochlorination, 123, 141–142
Fructose in peroxydiphosphate reactions, 181
Ftorolon. *See* Polytetrafluoroethylene
Fulvic acids
  characteristics and chemical composition of, 606–613
  stability of metal complexes of, 644–651
  types of FA interactions with metals, 634–638
Functional groups in humic substances, 607–609, 611
Fyrol flame retardants in polyester/cellulosic blends, 287, 291–293

G

γ-radiation effects in poly(vinyl fluoride) and poly(vinylidene fluoride) degradation
  PVF, 261
  PVDF, 251, 261–264
γ-radiation initiation of graft copolymerization on nylons, 106–108
Gas-phase polymerization
  of ethylene, 10–16, 43; catalysts for, 26–29
  of propylene, 61, 65–69; catalysts for, 81–82
Gelatin in sutures, 316
Gel filtration chromatography in study of metal-organic complexes, 640
Gels, polymer, techniques for analysis of, 503–504
Germanium in metal-containing monomer synthesis and polymerization, 460
Germicidal sutures, 321
Glactin. *See* Polyglactin
Glass with PEG bonded, 363

Glucose in peroxydiphosphate reactions, 176
Glucose 6-phosphate dehydrogenase, PEG-bound, 353, 359
Glycidylmethacrylate with PEG graft, 364
Glycol ethers of PEG, lab synthesis of, 335
Glycolic acid
in sutures, 317
see also Poly(glycolic acid)
Glycolide in sutures, 320
see also Polyglycolide implants
Glycylmethionine in PEG-supported peptide synthesis, 356
G-matrix for hydrogen-bonded macromolecules, 199–200, 202, 211–212
Goel, H. R., 99–117
Gold in metal-containing monomer synthesis and polymerization, 426
Graft copolymerization
for modification of nylons, 99–117
peroxydiphosphate-initiated, 177–185
Grafting of PEG on polymers, 364–365
Graft polymerization of metal-containing monomers, 451–454
Gravimetric methods in polymer swelling experiments, 497–500

H

Hafnium in metal-containing monomer synthesis and polymerization, 388, 455
N-Halogenated organic compounds in nylon graft copolymerization, 105
Halogen compounds as flame retardants
antimony-halogen systems, 299–303
nitrogen-phosphorus-halogen systems, 296–298
phosphorus-halogen systems, 284–290
Harris, J. M., 325–373
Harrison, D. J. P., 481–549
Head-to-head structures in PVC, 137–138
Helix-coil transitions in polypeptides and polynucleotides, 191–225
Heparin in sutures, 320
Heterocycles with complex-bound metal, polymerization of, 427–429
Heterogeneity of polynucleotide base pairs, transition temperature effects of, 217–219
Hexamethylenediamine in lab synthesis of PEG amines, 339
Hexamethylenediisocyanate in lab synthesis of PEG amines, 340
HF gas formation in poly(vinyl fluoride) and poly(vinylidene fluoride) degradation
PVF, 231, 235, 237, 261
PVDF, 242, 246, 248, 250–251, 258
High activity catalysts
HDPE, 16–25
for propylene polymerization, 70–71
High-density polyethylene, transition metal catalyst systems in preparation of, 2, 4, 7, 10–12, 17–19, 22–24
High-energy radiation degradation of poly(vinyl fluoride) and poly(vinylidene fluoride) 260–266

High-frequency ultrasonic analysis of polymer networks, 533–534
Hoechst slurry process for ethylene polymerization, 7
Homopolymerization
of ethylene, kinetics of, 38–43
of metal-containing monomers, 416–432
Humic macromolecules in natural waters, 599–657
characteristics and chemical composition of humic acids, 606–613
stability of humic acid-metal complexes, 644–651
types of interactions of HA with metals, 634–638
Hydrazides in PEG-supported peptide synthesis, 358
Hydrazine-phthalimide procedure in lab synthesis of PEG amines, 339–340
Hydrogen-bonded macromolecules, cooperative transitions in, 191–225
H bond cooperativeness in double-stranded polynucleotides, 207–211
H-bonded structure in polypeptides, 194–195
Hydrogen chloride in PVC degradation, 122–124
see also Dehydrochlorination in PVC
Hydrogen content of humic substances, 607–610
Hydrogen peroxide in lab synthesis of PEG acid derivatives, 343
Hydrolysis of poly(vinyl fluoride), 267
Hydrolytic degradation of polymeric implants, 553–555, 558–563, 571–572, 581–582, 586–587
Hydroperoxide in PVC degradation, 138–139
Hydrostatic creep in crosslink density studies, 505
4-Hydroxybenzaldehyde in lab synthesis of PEG aldehydes, 344
Hydroxymethyl phosphonium salts as flame retardants, 268

I

Impact properties of crosslinked polymers, analysis of, 504–505
Implants, polymeric, quantitative degradation of, 551–597
Impurities in lab-synthesized PEG derivatives, 327–328
Indentation tests, ball-bearing, in crosslink density studies, 508–509
Indoleacetic acid, PEG-bound, synthesis of, 361–362
Industrial processes
for ethylene polymerization, 4–16
for propylene polymerization, 58–69
Inelastic light scattering from polymer gels, 503
Infection in polymeric implant degradation, 568–571
Initiation of copolymerization by peroxydiphosphate, 157–189
Initiation of graft copolymerization on nylons
chemical methods, 101–105
irradiation methods, 105–111
Initiator endgroups in PVC, 135–137
Insulin, PEG-supported synthesis of, 355

Interaction of humic substances with metals, 626–651
types of metal-organic interactions, 634–638
Intramolecular vs intermolecular hydrogen bonds in polypeptide and polynucleotide transitions, 196–197, 207
In vivo degradation of polymers, quantitative, 551–597
Iodine in sutures, 321
Ion-exchange equilibrium in study of metal-organic complexes, 639–640
Ionic mechanism of PVC dehydrochlorination, 142–146
Ionic strength effects on stability of metal complexes with humic and fulvic acids, 648–651
Ions, peroxydiphosphate, 157–189
Ion-selective electrodes in study of metal-organic complexes, 641
Iridium in metal-containing monomer synthesis and polymerization, 411, 440
Iron
complexes with humic and fulvic acids, 644–649
Fe(II) in peroxydiphosphate reactions, 162, 164, 181, 184
in metal-containing monomer synthesis and polymerization, 392–393, 395, 403, 411, 413–414, 421, 424, 426, 429–431, 434, 437, 439–440, 446–447, 459–460
Irradiation initiation of graft copolymerization on nylons, 105–111
IR spectroscopy analysis of resin cure, 540–542
Ising model. *See* Linear Ising model
Isobutylchloroformate in lab synthesis of protein-PEG conjugates, 352
4-Isobutylphenyl-2-propionic acid, PEG-bound, 361
Isocyanates in PEG derivative syntheses, 346
PEG-isocyanate block copolymers, 365
PEG urethanes, 348–349
Isolation of humic materials, methods for, 618–624
Isourethanes of PEG, lab synthesis of, 349

J

Jha, N. K., 277–314
Johnson, J. F., 481–549

K

Kapron, graft copolymerization on, 104, 110
Ketones in PVC degradation, 139
Kinetics
of ethylene polymerization, 35–48
of polymeric implant degradation, 551–597
of propylene polymerization: in gas-phase, 89–90; over high-activity catalysts, 83–89

L

Labile chlorines in PVC, 125, 128–129, 133–135, 140, 143–144
Laboratory synthesis of polyethylene glycol derivatives, 325–373

Lactic acid in sutures, 317
Lactide in sutures, 320
Lavsan-based sutures, 320–321
Lead complexes with humic and fulvic acids, 644–648
Lenka, S., 157–189
Letilan-based sutures, 320–321
Ligands in metal complexes, 626–628
  concentration effects on stability, 644–651
  ligand atom effect on stability, 633
Light scattering from polymer gels, 503–504
Linear Ising model for double-stranded polynucleotides, 211–214
Linear low-density polyethylene, transition metal catalyst systems in preparation of, 3–4, 11–13, 16, 25–35, 43, 46, 48
Links in hydrogen-bonded macromolecule transitions, 196–201, 204, 208
  linking number *Lk*, 220–221
Liquid slurry polymerization
  of ethylene, 4–9, 43
  of propylene, 60–62
Lithium hydroxide in synthesis of PEG-bound dyes, 360
Livermore, D. G., 599–657
Loop reactor processes for ethylene polymerization, 6–7
Loops in double-stranded polynucleotides, 207–208, 210
Low density polyethylene, transition metal catalyst systems in preparation of, 2–4, 11–14, 16, 25–35, 43, 46, 48
Low-pressure LDPE/LLDPE catalysts, 25–35
Lysine units in protein-PEG conjugate synthesis, 350–353

M

Macromolecules
  humic, in natural waters, 599–657
  hydrogen-bonded, cooperative transitions in, 191–225
Magic-angle ^{13}C-NMR detection of crosslinks, 493
Magnesium
  complexes with humic and fulvic acids, 644–645, 648–649
  in metal-containing monomer synthesis and polymerization, 393
Magnesium catalysts
  in ethylene polymerization, 7, 13, 17, 20, 22–23, 31, 35, 37, 39–42, 44, 47
  for propylene polymerization, 70, 72–80, 84–89
Majumdar, R., 191–225
β-Malolactone based sutures, 318
Manganese
  complexes with humic and fulvic acids, 644–646, 648–649
  in metal-containing monomer synthesis and polymerization, 389–390, 395, 403, 410, 412, 414, 424, 426, 429, 439, 447, 449, 455, 460–461
  Mn(II) in peroxydiphosphate reactions, 164, 181, 184
  Mn(IV) and (III) initiation of nylon graft copolymerization, 103–104
Manganese dioxide in lab synthesis of PEG acid and aldehyde derivatives, 343

Matrix analysis of transitions in polypeptides and polynucleotides, 196, 199–200, 202, 211–212
Mechanical analysis of polymer networks, 501–534
Mechanical properties of degraded poly(vinyl fluoride) and poly(vinylidene fluoride)
PVF, 233, 235, 259–260
PVDF, 259, 263
Mechanism of ethylene polymerization, 35–48
Mechanisms of peroxydiphosphate reactions
graft copolymerization initiation, 179, 180, 182, 183, 185
oxidation, 159–162
vinyl polymerization initiation, 163–177
Mechanisms of PVC polymerization and degradation
branch formation, 128–129
dehydrochlorination, 141–146
double bond formation, 122–123
"Melting" of helical macromolecules, 191–225
Mercury complexes with humic and fulvic acids, 645–646, 648
Mercury lamp source in nylon graft copolymerization, 108–109
Mesylate of PEG as intermediate in lab synthesis, 346
Metal. *See also* Transition metal catalyzed olefin polymerization
Metal-containing monomers, synthesis and polymerization of, 375–479
bond-type classification of, 377–378
problems in synthesis and polymerization, 461–464
Metals, interaction of humic substances with, 626–651
metal type effect on stability of complexes with HA and FA, 644–646
Methacrylamide, peroxydiphosphate-initiated reactions of, 174–175
Methacrylic acids, 417, 434, 446
graft copolymerization of, on nylons, 102, 105–106
Methanol in nylon graft copolymerization, 105, 107–108
Methanolysis in PVC degradation, 126
Methocel A in sutures, 316
Methods. *See also* Techniques
Methods of studying PVC
branching determination, 130–133
tacticity determination, 140–141
thermal degradation studies, 122
unsaturation determination, 125–128
Methyl acrylates
graft copolymerization of, on nylons, 102–103, 105
metal-containing, 436, 441–445
Methyl content of PVC, 130, 137
Methylene chloride in lab synthesis of PEG aldehydes, 343
Methyl ethers of PEG, lab synthesis of, 332
Methyl glutamate, PEG-bound, 350
Methyl methacrylates
graft copolymerization of, on nylons, 102–106, 110–111
metal-containing, 401, 409, 422, 426, 433, 436–437, 439–446, 452–453

[Methyl methacrylates]
peroxydiphosphate-initiated reactions of, 165, 169, 172–174, 176–178, 181, 183, 184
N-Methylol agents as flame retardants, 299, 301
N-methylol acrylamide, 292
Methyl phosphonic diamide as flame retardant in polyester/cellulosic blends, 306, 308
2-Methyl-5-vinylpyridines, metal-containing, 397, 422–423, 437
Microbial synthesis hypothesis on origin of humic substances, 617
Mitsubishi slurry process for ethylene polymerization, 8
Mitsui process for propylene polymerization, 63–64
Models
linear Ising model for double-stranded polynucleotides, 211–214
zipper model in analysis of hydrogen-bonded macromolecule transitions, 219
Modification of nylons by graft copolymerization, 99–117
Molecular dehydrochlorination mechanisms in PVC, 145
Molecular relaxation in crosslinked polymers, 483–492
Molecular weight
critical, in analysis of crosslinked polymers, 504–509, 516–517, 520–521, 527, 531, 533, 535
effects of, in poly(vinyl fluoride) and poly(vinylidene fluoride) degradation, 237, 256–257, 264
of PVC, dehydrochlorination and, 124–125
Molecular weight distribution control
in ethylene polymerization, 9–10, 12, 42–43, 45
in propylene polymerization, 67
Molybdenum in metal-containing monomer synthesis and polymerization, 389, 395, 409, 412, 428, 430, 455
Monoderivatives of PEG, lab synthesis of, 333
Montedison processes
for ethylene polymerization, 8
for propylene polymerization, 63–64, 73
Morphocycline in sutures, 320–321
Mukherjee, A. K., 99–117
Multicomponent fabric systems, flammability of, 278–281
Mushroom Apparel Flammability Test, 283–284

N

Na Cephalothin in sutures, 320
Naphtachimie gas-phase process for ethylene polymerization, 13
Naqvi, M. K., 119–155
Natural waters, humic macromolecules in, 599–657
Nayak, P. L., 157–189
Nearest-neighbor cooperativeness in polypeptides, 201–205
Neomycin in sutures, 320–321
Networks. *See* Crosslinked polymers
Nguyen, T., 227–275
Nickel
complexes with humic and fulvic acids, 644–646, 648–649

[Nickel]
in metal-containing monomer synthesis and polymerization, 390–391, 393, 395, 403, 409–410, 413–414, 419, 423, 426, 434–435, 437, 447, 452–456, 461
Niobium in metal-containing monomer synthesis and polymerization, 394, 455
Nitrogen
content of humic substances, 607–610
N-bearing monomer complexes with metals, 394–408
Nitrogen compounds as flame retardants
halogen-phosphorus-nitrogen systems, 296–298
NH_3, 289–291
phosphorus-nitrogen compounds, 291–295
Nitrozation in nylon graft copolymerization, 104
NMR
analysis of crosslinked polymers, 482–494, 542
characterization of PEG derivatives, 330
determination of PVC unsaturation, 125–127
Nucleation properties and transitions in polypeptides and polynucleotides, 195, 205–207
nucleation energy *F*, 197, 202–205, 207, 221
nucleation parameter σ, 199, 204, 206
Nucleic acids, PEG-bound dye conjugates of, 360
Nylon modification by graft copolymerization, 99–117
nylon 6, 102–106, 108–111
nylon 66, 101–103, 107
Nylon 6, peroxydiphosphate-initiated reactions of, 184–185

O

Olefinic unsaturation in PVC degradation, 122, 124
Olefin polymerization, transition metal catalyzed
ethylene, 1–55
α-olefin copolymerization with ethylene, 6–7, 10–11; kinetics of, 43–48
propylene, 57–97
see also Polyolefins
Oligoethyleneoxide perfluoroalkyl ether of PEG, lab synthesis of, 335
Oligomers, transition metal containing, polymerization of, 449–450
One-dimensional cooperative systems, polypeptides as, 194–207
Operating properties of metal-containing polymers, 458–460
Organic carbon content of natural waters, 601–606
Organic matter type effect on stability of complexes with metals, 646
Organoaluminum catalysts in ethylene polymerization, 20, 31, 40
Organochromium catalysts in ethylene polymerization, 35–48
Organosiloxanes. *See* Polyorganosiloxanes
Organo transition metallic catalysts in ethylene polymerization, 25
Origin of humic substances in natural waters and soils, 613–618

Osmium in metal-containing monomer synthesis and polymerization, 402, 411, 424, 426, 440, 460
Outdoor degradation of poly(vinyl fluoride) and poly(vinylidene fluoride), 257–259
Oxacillin Na in sutures, 320
Oxalates in sutures, 318
Oxalic acid in sutures, 318
Oxazolines, PEG block copolymers with, 366
2-Oxetanone based sutures, 318
Oxidases in polymeric implant degradation, 555–556
Oxidation reactions of peroxydiphosphate, 158–162
Oxidative reactions in PVC degradation, 127, 140, 142
Oxygen
  effects in nylon graft copolymerization, 106–107, 110
  O-containing defects in PVC, 138–139
  O-containing monomer complexes with metals, 396–401, 409–410
Oxygen content of humic substances, 607–610
  O-containing functional groups, 607–608
Oxygen index in flammability tests, 281–282

P

π bond in metal-containing monomers, 410–416, 429–432, 439–446
Palladium in metal-containing monomer synthesis and polymerization, 390–391, 395, 409, 421, 424, 426–427, 434, 437, 456, 460–461
Particle size distribution control in ethylene polymerization, 13
Particle specifications in transition metal catalyzed propylene polymerization, 73, 81
Partition function Z in hydrogen-bonded macromolecule transitions, 198–202, 209, 213–214
Partitioning of lab-synthesized PEG derivatives, 328–330
Pathria, R. K., 191–225
Penicillin, PEG-bound, 361
Pentamethylol melamine as flame retardant, 296
Peptide synthesis, PEG derivatives in, 354–358
Permanganate in lab synthesis of PEG acid derivatives, 342
Peroxide systems in nylon graft copolymerization, 101, 109
Peroxydiphosphate-initiated copolymerization, 157–189
Peroxy groups in PVC degradation, 138
  peroxide initiator incorporation, 135–136
Peroxy radicals in poly(vinylidene fluoride) degradation, 266
Persulfate in nylon graft copolymerization, 102
PET fibers
  peroxydiphosphate-initiated reactions of, 184–185
  PET/cotton blends, nonfinish flame retarding of, 304
Phase-transition-like phenomena in polypeptides, 205–207
pH effects on stability of metal complexes with humic and fulvic acids, 647–648
Phenolic OH in humic and fulvic acid complexation and chelation, 634

Phillips processes
particle-forming process for ethylene polymerization, 6–7
for propylene polymerization, 53
Phosphates and phosphites in fabric flame retardants, 284–287
Phosphines of PEG
in catalyst recovery, 359
laboratory synthesis of, 347
Phosphonates in fabric flame retardants, 287
Phosphonium salts in fabric flame retardants, 287–291
Phosphorus-bearing monomer complexes with metals, 409
Phosphorus compounds as flame retardants, 284–290
halogen-nitrogen-phosphorus systems, 296–298
nitrogen-phosphorus compounds, 291–295
Photodegradation of poly(vinyl fluoride) and poly(vinylidene fluoride), 257–259
Photolytic reactions of peroxydiphosphate, 158–159
Photopolymerization, peroxydiphosphate-initiated, 176–177
Photopolymerized vinyl fluoride, degradation of, 236
Photosensitization in nylon graft copolymerization, 108
Phthalimide-hydrazine procedure in lab synthesis of PEG amines, 339–340
Physical interaction in fabric blend flammability, 279–280
Physical methods of analyzing humic substances, 624–625
Physicomechanical properties of metal-containing polymers, 458–460
Pinacol, peroxydiphosphate oxidation of, 161
Plant alteration hypothesis on origin of humic substances, 615
Platinum in metal-containing monomer synthesis and polymerization, 390–391, 403, 421, 426, 450, 456, 460
Polar transition states in PVC degradation, 142–143
Polyacrylonitrile, metal-containing, 458
Polyamides, biological stability of, 580–586
see also Nylon
Polycaproamide, biological stability of, 554, 581–585
Polycaprolactam, graft copolymerization on, 104, 108
Polycarbonate, biological stability of, 554
Polycondensation of metal-containing compounds, 455–458
Polydiacetylene with PEG graft, 364
Polydimethylsiloxanes, biological stability of, 586–588
Polydodecanamide, biological stability of, 554, 585–586
Polyenes
formation of, in poly(vinylidene fluoride) degradation, 264
sequences of, in PVC degradation, 140, 143, 145
Polyester/cellulosic blends, flame-retardant finishes for, 277–314
Polyester implants, degradation of, 560–579
Polyethylene glycol derivatives, laboratory synthesis of, 325–373
Polyethylenes, metal-containing, 451–454, 458, 461

Polyethylene softener effects on flame retardants, 305
Polyethylene terephthalate implants, degradation of, 554, 561–571
Polyglactin-based sutures, 318–320
Polyglaktine implants, degradation of, 554, 579
Poly(glycolic acid) based sutures, 316–320
Polyglycolide implants, degradation of, 554, 571–578
Polymeric implants, quantitative degradation of, 551–597
Polymeric radicals in PVC degradation, 141–142
Polymerization, transition metal catalyzed
ethylene, 1–55
propylene, 57–97
Polymerization hypothesis on origin of humic substances, 615–616
Polymerization variable effects on degradation of poly(vinyl fluoride) and poly(vinylidene fluoride), 256–257
Polymers. *See* Crosslinked polymers
Poly(methyl methacrylates)
metal-containing, 453, 458
with PEG graft, 364
Polynucleotides, cooperative transitions in, 191–225
double-stranded, H bond cooperativeness in, 207–221
Polyolefins, biological stability of, 588–589
Polyorganosiloxanes, biological stability of, 586–588
Polypeptides, cooperative transitions in, 191–225
polypeptides as one-dimensional systems, 194–207
Polypropylene fibers, biological stability of, 588–589
Polypropylenes, metal-containing, 451, 453–454
Polystyrene conjugates with PEG
in PEG-supported peptide synthesis, 358
polystyrene with bonded PEG, 363–364
Polystyrenes, metal-containing, 451, 453
Polytetrafluoroethylene fiber, biological stability of, 589–590
Polyurethane-based sutures, 320
Polyurethanes
biological stability of, 579–580
PEG block copolymers with, 366
Polyvinyl alcohol fiber, biological stability of, 588
Polyvinyl chloride
metal-containing, 459
structure and stability of, 119–155
Poly(vinyl fluoride), degradation of, 227–275
Poly(vinylidene fluoride), degradation of, 227–275
Pomogailo, A. D., 375–479
Potassium peroxydiphosphate initiated copolymerization, 157–189
Potentiometric titration in study of metal-organic complexes, 638–639
Procaine, PEG-bound, 361
Properties
of metal-containing polymers, 458–460
of PE from ethylene-hexene-1 copolymerization, 34
of poly(vinyl fluoride), 229; degradation effects on, 230–242, 256–261, 267
of poly(vinylidene fluoride), 230; degradation effects on, 242, 245–267

Propylene oxide in sutures, 320
Propylene polymerization, transition metal catalyzed, 57–97
see also Polypropylenes
Protein conjugates of PEG, lab synthesis of, 350–354
Protonation in PVC degradation, 144–145
Proton-decoupled ^{13}C-NMR detection of crosslinks, 492–493
Pulsed NMR measurement of crosslink density, 483–494
Purification
of humic substances, methods for, 618–624
of lab-synthesized PEG derivatives, 328–330
Pyridine in lab synthesis of PEG tosylate, 345–346
Pyrolidones in sutures, 316, 321
Pyrromycinone in synthesis of PEG-bound drugs, 362

Q

Qualitative organic analysis of PEG derivatives, 331
Quantitative degradation of polymeric implants, 551–597
Quinidine, PEG-bound, 361

R

Radiation degradation of poly(vinyl fluoride) and poly(vinylidene fluoride), 230–256, 260–266
radiation-polymerized vinyl fluoride, 233, 235–237, 242–243, 257
Radiolabeling in PEG derivative characterization, 331
Rate expressions for peroxydiphosphate-initiated reactions, 164–167, 169–170, 172, 174–175, 177, 180–181, 183, 185
Ray, W. H., 1–55, 57–97
Reaction conditions in ethylene polymerization
copolymerization with hexene-1, 34
low-pressure polymerization, 5
Reaction conditions in polypropylene processes, 61
Reactivity ratios in ethylene-α-olefin copolymerization, 45–47
Reagents, PEG-bound, lab synthesis of, 358–359
Redox-initiated reactions with peroxydiphosphate, 162–185
Redox systems in graft copolymerization on nylons, 102–104
Reflection, ultrasonic, in mechanical analysis of polymer networks, 531
Relaxation, β and α, in study of epoxy structure, 521, 524–527, 534, 537
Relaxation times T_1 and T_2 in crosslinked polymers, 483–494
Resistivity measurement in analysis of crosslinked polymers, 537
Resonance, ultrasonic, in mechanical analysis of polymer networks, 531
Rhenium in metal-containing monomer synthesis and polymerization, 455
Rheovibron instruments in dynamic mechanical analysis of crosslinked polymers, 512, 516, 520
Rhodium in metal-containing monomer synthesis and polymerization, 411, 426

Rimine sutures, 319
Ring size and number effects on stability of metal complexes, 631–632
Ruthenium in metal-containing monomer synthesis and polymerization, 402, 413–414, 424, 426, 437, 440, 460

S

σ bond in metal-containing monomers, 378–393, 416–421, 432–436
Salicylates, PEG-bound, 361
Salts in polymeric implant degradation, 555–556
Savostyanov, V. S., 375–479
Seitz, M. G., 599–657
Self-decomposition of peroxydiphosphate, 162
Separation of lab-synthesized PEG derivatives, 328–330
Service life of polymeric implants, 565–571, 588
Silica with bonded PEG, 362–363
Silica-supported catalysts in polymerization
  of ethylene, 13, 30, 36, 41
  of propylene, 72, 84
Silicon catalysts in ethylene polymerization, 35, 39–42, 44
Silicone softener effects on flame retardants, 305
Silk, peroxydiphosphate-initiated reactions of, 178
Silver
  Ag^+ in peroxydiphosphate reactions, 162–163, 165–166
  in metal-containing monomer synthesis and polymerization, 403
Sliding properties of sutures, 320
Slurry processes. *See* Liquid slurry polymerization
Sodium compounds in lab synthesis of PEG derivatives
  Na borohydride, 343
  Na hydride, 345
  Na hydroxide, 347
  Na naphthalide, 342
Sodium thiosulfate in peroxydiphosphate reactions, 172–173
Softener effects on fabric flame retardants, 305
Soils
  origin of humic substances in, 613–618
  purification of humic substances from, 619–621
Sol-gel measurement of cross-link density in polymers, 503
Solid polymeric supports with PEG, 358–359
  laboratory synthesis of, 362–366
Soluble PEG in peptide synthesis, 354
Solution polymerization of ethylene, 9–10, 43
Solvay processes
  catalyst for propylene polymerization, 70–71
  slurry process for ethylene polymerization, 7
Solvent effects
  in nylon graft copolymerization, 107
  on poly(vinyl fluoride), 257, 267
  in PVC degradation, 142–143
Solvent-free polypropylene processes, 63, 65
Specific interactions of polymers in swelling experiments, 495–496

Spectroscopic analysis
characterization of PEG derivatives, 330–331
of crosslinked polymers, 516–517, 539–542
of PVC, 127, 133, 137, 140–141
Spin-lattice and spin-spin relaxation times in crosslinked polymers, 483–494
Stabilities. *See also* Biological stability of polymeric implants
Stabilities of metal complexes and chelates with humic materials, 627–634
concentration and environmental variable effects, 644–651
experiment-based calculation of, 641–644
Stability of PVC, 119–155
Stacking parameter in double-stranded polynucleotides, 210–211, 214–216
Static mechanical analysis of polymer networks, 505–509
Statistical mechanics of polypeptide and polynucleotide transitions, 191–225
linear Ising model, 195–201, 211–214
Stirred-bed reactor for propylene polymerization, 65
Streptomycin sulfate in sutures, 320
Stress-strain behavior of swollen polymer networks, 501–502, 517
Strontium in metal-containing monomer synthesis and polymerization, 460
Structure
fabric, effect on flame retardants, 306–308
of humic substances, 607–613
[Structure]
of PVC, 119–155; structural defects, 122–141
Structure-property relationships of crosslinked polymers, analysis of, 505
Styrene
graft copolymerization of, on nylons, 101–102, 104–109
in metal-containing polymer synthesis and polymerization, 411–413, 436–437, 440–445, 453
Substitution in chelating molecule as factor in stability, 632–633
Succinic acid based sutures, 317–318
Succinic anhydride in lab synthesis of PEG acid derivatives, 341–342
Succinimidyl compounds in protein-PEG conjugate synthesis, 352
Sulfonate of PEG as intermediate in lab synthesis, 349
Sulfur-bearing monomer complexes with metals, 409–410
Sulfur content of humic substances, 607–610
Sumitomo process for propylene polymerization, 63–64
Supercoiled polynucleotides, 219–221
Superoxide dismutase conjugate with PEG, lab synthesis of, 352
Supported catalysts in ethylene polymerization
chromium, 21, 24–25, 30
pore size of support, 41
Ziegler-type, 17, 20–23
Supported Ziegler-Natta catalysts for propylene polymerization, 71–80
Surgical sutures, absorbable, 315–324

[Surgical sutures]
see also Implants, polymeric
Swelling of polymers, techniques in analysis of, 494–504, 508
Syndiotactic sequences in PVC degradation, 139–141
Syntheses of metal-containing monomers, 377–416
see also Laboratory synthesis

T

T_g in analysis of crosslinked polymers, 513, 516, 525, 527, 538–539
Tacticity in PVC, 139–141
Tan δ in dynamic mechanical analysis of epoxy structure, 520, 524, 537
Tantalum in metal-containing monomer synthesis and polymerization, 394
Tartaric acid in peroxydiphosphate reactions, 176
Techniques. *See also* Methods
Techniques
for analysis of crosslinked polymers, 481–549
for measuring fabric flammability, 281–284
problems in synthesis and polymerization of metal-containing polymers, 461–464
Techniques for study of humic substances in natural waters
analysis and characterization, 624–625
isolation and purification, 618–624
metal-organic interaction studies, 638–644
Technology. *See* Commercial processes
Teflon. *See* Polytetrafluoroethylene
Tensile properties
of absorbable sutures, 316–320
of crosslinked polymers, analysis of, 504–505
of poly(vinyl fluoride), 232, 258, 260, 267
of poly(vinylidene fluoride), 263
Tertiary alcohol of PEG
laboratory synthesis of, 349
in peptide synthesis, 357
Tertiary chlorines in PVC, 128–129, 133
Tetrafluoroethylene graft copolymerization on nylons, 110
Tetramethylene oxalate based sutures, 318
Tetramethylol-DABT flame retardant system in polyester/cellulosic blends, 299, 304
Thermal analysis of crosslinked polymers, 539
Thermal degradation of poly(vinyl fluoride) and poly(vinylidene fluoride), 230–256
Thermal stability of PVC, 121, 124–125, 129–130, 136–137, 139–140
Thermodynamic equilibrium constants of humic and fulvic acid complexes with metals, 630, 638
Thermodynamics of "melting" of helical macromolecules, 191–225
Thioacetamide in peroxydiphosphate reactions, 171
Thioglycollic acid in peroxydiphosphate reactions, 169–170

Thiourea in peroxydiphosphate reactions, 178, 181
THPC as flame retardant in polyester/cellulosic blends, 287, 297, 299
THPOH as flame retardant, 287
NH_3-THPOH system, 289–291, 297, 308
THPS as flame retardant in polyester/cellulosic blends, 287, 291–293, 305
Time dependence of PET implant properties, 565–571
Titanium
catalysts in ethylene polymerization, 6–8, 10, 17, 20, 30–31, 37, 39–42, 44, 47
catalysts for propylene polymerization, 65–89
in metal-containing monomer synthesis and polymerization, 379–388, 394–395, 417–418, 428, 433, 437, 447, 450–452, 455, 459, 461
Titration methods in measurement of crosslink density, 535
see also Potentiometric titration
TMM as flame retardant in polyester/cellulosic blends, 291–292, 297, 299, 305
Topological constraints in supercoiled polynucleotides, 219–221
Torsional techniques in mechanical analysis of crosslinked polymers
torsional braid analyzer, 513
torsional pendulum techniques, 509–513
Tosylates of PEG
as intermediates in lab syntheses, 340
laboratory synthesis of, 345–346
Toxicity
of commercial PVA in implants, 588
of flame retardants, 304
Transition metal carbonyls in nylon graft copolymerization, 105
Transition metal catalyzed olefin polymerization
ethylene, 1–55
propylene, 57–97
Transition metal containing monomers, synthesis and polymerization of, 375–479
Transition temperature in hydrogen-bonded macromolecules, 204–206, 215–219, 221
Triazine dyes, PEG-bound, 360
Trichloroethane in sutures, 320
Triethylamine in lab synthesis of PEG tosylate, 346
Triethylamino PEG salts, lab synthesis of, 341
Trimethylamino PEG salts, lab synthesis of, 341
Trioctyl phosphate as flame retardant, 286
Tris-aziridinyl phosphine oxide flame retardant, 304
Tris(2,3-dibromopropyl) phosphate flame retardant, 286, 297, 304
Tungsten lamp source in nylon graft copolymerization, 108–109
Tungsten in metal-containing monomer synthesis and polymerization, 389, 409, 412, 424, 430–431, 440, 450, 455
Twisting of molecular strands in polynucleotides, 220–221
Typology of metal-containing monomers, 377–378

U

Ultrasonic mechanical analysis of polymer networks, 529–534
Union Carbide processes
  gas-phase process for ethylene polymerization, 10–13
  for propylene polymerization, 68
Unsaturation in PVC, 122–128
Unsupported catalysts
  in ethylene polymerization, Ziegler-type, 17–19
  in propylene polymerization, high-activity, 70–71
Urea in flame retardant systems for polyester/cellulosic blends, 291–293, 296–297, 305
Urethane. *See also* Polyurethanes
Urethane linkages in PEG conjugates
  PEG-bound drugs, 361
  PEG-supported peptide synthesis, 357
Urethanes of PEG
  laboratory synthesis of, 346–349
  in PEG-supported peptide synthesis, 355–356
UV analysis of resin cure, 540
UV radiation initiated graft copolymerization on nylons, 108–110

V

Vanadium
  catalysts in ethylene polymerization, 8, 10, 20, 31, 47
  in metal-containing monomer synthesis and polymerization, 388, 394–395, 409, 413, 428, 437, 451, 455, 459, 461
Van de Graff accelerator in nylon graft copolymerization, 111
Vapor phase active flame retardants, 306
Vasudevan, P., 315–324
Vibration. *See* Forced vibration devices
Vicryl. *See* Polyglactin
Vinyl acetate based sutures, 320
Vinyl acetates
  graft copolymerization of, on nylons, 101–102, 109
  metal-containing, 433, 439, 441–445, 452–453
Vinyl alcohol based sutures, 316, 320–321
1-Vinylbenzimidazole, metal-containing, 403, 405–408, 426
1-Vinylbenztriazole, 403, 405–408, 426
Vinylcarbazoles, metal-containing, 394, 399
Vinyl ether of PEG, lab synthesis of, 333–334
Vinyl fluoride graft copolymerization on nylons, 110
  see also Poly(vinyl fluoride)
Vinylidene fluoride. *See* Poly(vinylidene fluoride)
1-Vinylimidazoles, metal-containing, 394, 402–408, 424–426
1-Vinyl-2-methylimidazole, 405–406, 408
Vinyl monomers
  graft copolymerization of, on nylons, 101–102, 106
  with complex-bound metal, polymerization of, 422–426
Vinyl polymerization, peroxydiphosphate-initiated, 162–177
1-Vinyl-2-propylimidazole, metal-containing, 405

Vinylpyridines
graft copolymerization of, on nylons, 103, 105, 107
metal-containing, 394–397, 402, 422–424, 436–437, 453, 461
Vinyl pyrolidone based sutures, 316
Viscoelastometers. *See* Rheovibron instruments
Volumetric methods in polymer swelling experiments, 497–500

W

Water
extraction of humic substances from, 621–624
peroxydiphosphate reactions with, 159, 161
in polymeric implant degradation, 553–554
as problem in lab synthesis of PEG derivatives, 327–328
Wavelength effects in nylon graft copolymerization, 108–109
Wave propagation technique in mechanical analysis of polymer networks, 529
Weathering. *See* Outdoor degradation
Wool, peroxydiphosphate-initiated reactions of, 181

X

X-ray effects on poly(vinyl fluoride), 261

Y

Yates, W. R., 481–549
Yeast, PEG phase partitioning of, 359
Yeast invertase, PEG matrix immobilized, 353–354
Yield strength studies of crosslink density, 506

Z

Zaikov, G. E., 551–597
Ziegler-type catalysts
in ethylene polymerization, 7, 11, 13–14, 17–23, 31–35, 37–38, 40
in propylene polymerization, 65, 69, 70, 83; supported, 71–80
Zinc
complexes with humic and fulvic acids, 644–649
in metal-containing monomer synthesis and polymerization, 393, 419–421, 435–436, 446–447, 458–459
Zipper model in analysis of hydrogen-bonded macromolecule transitions, 219
Zirconium
catalyst in ethylene polymerization, 44
in metal-containing monomer synthesis and polymerization, 388, 394, 433, 455

JMS – REV. MACROMOL. CHEM. PHYS., C25(4), 687-691 (1985)

COLLECTIVE CONTENTS TO VOLUME C25

Volume C25 No. 1 1985

RECENT DEVELOPMENTS IN TRANSITION METAL CATALYZED OLEFIN POLYMERIZATION—A SURVEY. I. ETHYLENE POLYMERIZATION 1

K.-Y. Choi and W. H. Ray

I. Introduction 2
II. Ethylene Polymerization Processes 4
III. Catalysts for Ethylene Polymerization 16
IV. Kinetics and Mechanism of Ethylene Polymerization 35
V. Concluding Remarks 46
References 48

RECENT DEVELOPMENTS IN TRANSITION METAL CATALYZED OLEFIN POLYMERIZATION—A SURVEY. II. PROPYLENE POLYMERIZATION 57

K.-Y. Choi and W. H. Ray

I. Introduction 58
II. Modern Industrial Propylene Polymerization Processes . . 58
III. Propylene Polymerization Catalysts 69
IV. Kinetics of Propylene Polymerization over High Activity Catalysts 83
V. Kinetics of Gas-Phase Polymerization 89
VI. Concluding Remarks 90
References 91

MODIFICATION OF NYLONS VIA GRAFT COPOLYMERIZATION 99

A. K. Mukherjee and H. R. Goel

I. Introduction 99
II. Graft Copolymerization 100
III. Methods of Graft Copolymerization 100
References 111

STRUCTURE AND STABILITY OF POLYVINYL CHLORIDE . . 119

M. K. Naqvi

I. Introduction—Significance of Polyvinyl Chloride 120
II. Thermal Stability of PVC 121
III. Methods of Studying Thermal Degradation 122
IV. Structural Defects in PVC 122
V. Mechanism of Dehydrochlorination 141
VI. Conclusion 146
References 148

Volume C25 No. 2 1985

VINYL AND GRAFT COPOLYMERIZATION INITIATED BY POTASSIUM PEROXYDIPHOSPHATE 157

S. Lenka and P. L. Nayak

I. Introduction 157
II. Oxidation 158
III. Vinyl Polymerization 162
IV. Graft Copolymerization 177
V. Conclusions 186
References 186

COOPERATIVE TRANSITIONS IN HYDROGEN-BONDED MACROMOLECULES: POLYPEPTIDES AND POLYNUCLEOTIDES 191

R. Majumdar and R. K. Pathria

I. Introduction 192
II. Polypeptides as One-Dimensional Cooperative Systems . . 194
III. Cooperativeness of Hydrogen Bonds in Double-Stranded Polynucleotides 207
IV. Summary and Conclusions 221
References 223

DEGRADATION OF POLY(VINYL FLUORIDE AND POLY(VINYLIDENE FLUORIDE) 227

T. Nguyen

I. Introduction 227
II. Chemistry and Characteristics 228

III. Degradation of Poly(vinyl Fluoride) and Poly(vinylidene Fluoride) 230
IV. Conclusions 267
References 269

FLAME-RETARDANT FINISHES FOR POLYESTER/CELLULOSIC BLENDS: AN AFPRAISAL 277

P. Bajaj, S. Chakrapani, and N. K. Jha

I. Introduction 278
II. Flammability of Polyester/Cellulosic Blends 278
III. Measuring Apparel Fabric Flammability 281
IV. Flame-Retardant Finishes for Polyester/Cellulosic Blends 284
V. Toxicity of Flame Retardants 304
VI. Flame-Retarding PET/Cotton Blends without Fire-Retardant Finishes. 304
VII. Factors Affecting Flame Retardancy. 305
VIII. Conclusions. 309
References 309

Volume C25 No. 3 1985

ABSORBABLE SURGICAL SUTURES 315

K. S. Devi and P. Vasudevan

LABORATORY SYNTHESIS OF POLYETHYLENE GLYCOL DERIVATIVES 325

J. M. Harris

I. Introduction 326
II. Preparation of Simple Derivatives 332
III. Synthesis of Complex Derivatives of PEG 350
References 366

ADVANCES IN THE SYNTHESIS AND POLYMERIZATION OF METAL-CONTAINING MONOMERS 375

A. D. Pomogailo and V. S. Savostyanov

I. Introduction 376
II. Major Syntheses of Metal-Containing Monomers 377
III. Homopolymerization of Metal-Containing Monomers . . 416

IV. Copolymerization of Metal-Containing Monomers 432
V. Polymerization and Copolymerization of Transition Metal-Containing Oligomers 449
VI. Graft Polymerization of Metal-Containing Monomers . . 451
VII. Polycondensation of Metal-Containing Compounds . . . 455
VIII. Applications of Metal-Containing Polymers 458
IX. Major Problems in the Synthesis and Polymerization of Metal-Containing Polymers 461
References 466

Volume C25 No. 4 1985

TECHNIQUES FOR THE ANALYSIS OF CROSSLINKED POLYMERS 481

D. J. P. Harrison, W. R. Yates, and J. F. Johnson

I. Nuclear Magnetic Resonance Spectroscopy 482
II. Swelling of Polymers 494
III. Mechanical Analysis of Networks 504
IV. Other Methods of Analysis of Crosslinked Polymers . . 535
References 542

QUANTITATIVE ASPECTS OF POLYMER DEGRADATION IN THE LIVING BODY 551

G. E. Zaikov

I. Introduction 552
II. Components of the Biological Environment Responsible for Polymer Degradation 553
III. Degradation of Collagenous Fibers 557
IV. Degradation of Polyester Implants 560
V. Degradation of Polyurethanes 579
VI. Degradation of Polyamides 580
VII. Degradation of Polyorganosiloxanes 586
VIII. Biological Stability of Polyvinyl Alcohol Fiber 588
IX. Degradation of Polyolefins 588
X. Biological Stability of Polytetrafluoroethylene Fiber . . 589
XI. Conclusion 590
References 590

HUMIC MACROMOLECULES IN NATURAL WATERS 599

S. Boggs Jr., D. G. Livermore, and M. G. Seitz

I. Introduction 600
II. Distribution and Characterization of Dissolved Humic Substances in Natural Waters 601
III. Interaction of Humic Substances with Metals 626
IV. Summary and Conclusions 651
References 654

INDEX TO VOLUME C25 659